

# REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-00-

Public reporting burden for this collection of information is estimated to average 1 hour per response gathering and maintaining the data needed, and completing and reviewing the collection of information collection of information, including suggestions for reducing this burden, to Washington Headquarters Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget

ata sources,  
spect of this  
5 Jefferson  
03.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE		3. <b>0491</b> DATES COVERED 01 Jul 96 to 30 Jun 00	
4. TITLE AND SUBTITLE Efficient Radiation from an Electrically Small Antenna				5. FUNDING NUMBERS F49620-96-1-0353	
6. AUTHOR(S) Dr. Craig Grimes					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The University of Kentucky Department of Electrical Engineering 453 Anderson Hall Lexington, KY 40506				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR 801 North Randolph Street, Room 732 Arlington, VA 22203-1977				10. SPONSORING/MONITORING AGENCY REPORT NUMBER  F49620-96-1-0353	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Applying the analytic technique, two antenna designs were found for which the radiation Q was below the limit determined by Chu for electrically small antennas. The simplest design is a turnstile antenna comprised of two perpendicularly oriented collocated electric dipoles that are phased to support circular polarization, for which the radiation Q is slightly less than a single electric dipole. The most intriguing antenna design consists of four spatially collocated equal power dipoles, a magnetic and electric dipole moment pair oriented along the x-axis, with the dipole pairs driven /2 out of phase to support circular polarization. For this source the analytically predicted radiation Q is zero independently of the relative electrical size ka of the antenna, where a is the radius of the smallest virtual sphere that circumscribes the antenna and k is the wave-number of radiation.					
14. SUBJECT TERMS				15. NUMBER OF PAGES 3	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT		18. SECURITY CLASSIFICATION OF THIS PAGE		19. SECURITY CLASSIFICATION OF ABSTRACT	
				20. LIMITATION OF ABSTRACT	

20001002 017

DTIC QUALITY INSPECTED 4

Final Report: No. F49620-96-1-0353  
Entitled: Efficient Radiation from an Electrically Small Antenna  
By: Dr. Craig A. Grimes, The University of Kentucky

Under the scope of program auspices the following milestones were achieved.

1. The first and only published analytic technique that correctly calculates the radiation  $Q$  of a general radiation field was developed [1,2].

2. Applying the analytic technique, two antenna designs were found for which the radiation  $Q$  was below the limit determined by Chu for electrically small antennas.

The simplest design is a turnstile antenna comprised of two perpendicularly oriented collocated electric dipoles that are phased to support circular polarization, for which the radiation  $Q$  is slightly less than a single electric dipole.

The most intriguing antenna design consists of four spatially collocated equal power dipoles; a magnetic and electric dipole moment pair oriented along the  $x$ -axis, and a magnetic-electric dipole moment pair oriented along the  $y$ -axis, with the dipole-pairs driven  $\pi/2$  out of phase to support circular polarization. For this source the analytically predicted radiation  $Q$  is zero independently of the relative electrical size  $ka$  of the antenna, where  $a$  is the radius of the smallest virtual sphere that circumscribes the antenna and  $k$  is the wave-number of radiation equal to  $2\pi/\lambda$ .

3. Numerical [3-5] and experimental [4,5] works have shown that the radiation  $Q$ s of the two different, multi-element antenna designs are a function of the relative phasing between the radiating elements.

4. The 'zero- $Q$ ' antenna has been experimentally and numerically characterized [5]. Experimentally, for the 'zero- $Q$ ' antenna of relative electrical size  $ka = 0.39$ , the measured  $Q$  is a factor of approximately three below the so-called Chu limit. Numerical simulations, with which we were able to characterize the antenna over a broader frequency range than possible with our experimental measurements, indicate that at  $ka = 0.23$  the antenna  $Q$  is a factor of 20 below the Chu limit, and demonstrates wide-band operation indicative of self-tuning as discussed in [A]. Furthermore, while the energy field phasing required for low  $Q$  emission can be readily obtained in transmission, for reception the phasing for low  $Q$  operation is unlikely to be met by an incident wave, hence the antenna should operate as a non-reciprocal device [A].

[A] D.M. Grimes and C.A. Grimes, "Bandwidth and  $Q$  of Antennas Radiating TE and TM Modes," IEEE Transactions on Electromagnetic Compatibility, vol. 37, pp 217-226, 1995.

5. A total of 13 referred journal publications, 1 patent, and 8 conference proceedings acknowledged AFOSR support.

### Journal Publications Acknowledging AFOSR Support

- [1] D.M. Grimes, C.A. Grimes, Radiation Q of Dipole Generated Fields, Radio Science, vol. 34, No. 2, pp. 281-296, 1999.
- [2] D. M. Grimes, C. A. Grimes, Minimum Q of Electrically Small Antennas: A Critical Review, in press Microwave and Optical Letters, December 20, 2000.
- [3] G. Liu, K.G. Ong, C.A. Grimes, D. M. Grimes, Comparison of Time and Frequency Domain Numerical Modeling of Outbound And Local Power From Two Perpendicularly Oriented, Electrically Small TM Dipoles, Int. Journal of Numerical Modeling, vol. 12, pp. 229-241, 1999.
- [4] Craig A. Grimes, Gang Liu, Faton Tefiku, Dale M. Grimes, Time Domain Measurement of Antenna Q, Microwave and Optical Technology Letters, vol. 25, No. 2, pp. 95-101, 2000.
- [5] C. A. Grimes, G. Liu, D. M. Grimes, and K. G. Ong, Characterization of a Wide-band, Low Q, Electrically-Small Antenna. Microwave & Optical Letters, vol. 27, No. 1, pp. 53-58, 2000.
- [6] D.M. Grimes, C.A. Grimes, Power In Modal Radiation Fields: Limitations of the Complex Poynting Theorem and the Potential for Electrically Small Antennas, Journal of Electromagnetic Waves and Applications, vol. 11, pp. 1721-1747, 1997.
- [7] G. Liu, C.A. Grimes, Spherical-Coordinates FDTD Analysis of Conical Antennas Mounted Above Finite Ground Planes, Microwave and Optical Technology Letters, Vol. 23, pp. 78-82, 1999.
- [8] L. Gang, C.A. Grimes, K.G. Ong, FDTD Computation Of Field Values At Spherical Coordinate Singularity Points, Microwave and Optical Technology Letters, Vol. 20, pp. 367-369, 1999.
- [9] Gang Liu, C.A. Grimes, D. M. Grimes, A Time Domain Technique For Determining Antenna Q, Microwave and Optical Technology Letters, vol. 21, No. 6, pp. 393-395, 1999.
- [10] F. Tefiku, C.A. Grimes, Coupling Between Elements of Electrically Small Compound Antennas, Microwave and Optical Technology Letters, Vol. 22, No. 1, pp. 16-21, 1999.
- [11] F. Tefiku and C.A. Grimes, Analysis and Design of Broadband and Dual-Band Antennas of Two Series-Fed Printed Strip Dipoles, in press, IEEE Trans. Antennas and Propagation, vol. 48, No.6.
- [12] K.G. Ong, C.A. Grimes, A Method For Quantifying The Higher-Order Modes Radiated By An Arbitrarily Shaped Antenna. Microwave and Optical Technology Lett., vol. 24, pp. 20-24, 2000.

- [13] G. Liu, C.A. Grimes, A Quasi-static FDTD Source Model for Coaxially Driven Monopole Antennas. *Journal of Microwave and Optical Letters*, vol. 26, pp. 30-34, July 5 issue, 2000.

#### **Patents Acknowledging AFOSR Support**

- [1] C.A. Grimes, D. M. Grimes, F. Tefiku, G. Liu. Electrically-small Low Q Radiation Source/Antenna and Associated Methods of Producing such a Source and Transmitting an EM Signal with such a Source. U.S. Patent Pending, filed September 9, 1999.

#### **Conference Proceedings Acknowledging AFOSR Support**

- [1] C.A. Grimes, D.M. Grimes, The Poynting Theorems and The Potential for Electrically Small Antennas. *Proceedings IEEE Aerospace Conference*, pp. 161-176, 1997.
- [2] Gang Liu, Craig A. Grimes, Keat Ghee Ong, and James E. Lump, Dale M. Grimes, Time and Frequency Domain Modeling of Outbound and Standing Power from Perpendicularly Oriented, Electrically Small TM Dipoles, *Proceedings IEEE Aerospace Conference*, Volume 3, pp. 264-272, 1998.
- [3] Craig A. Grimes, Dale M. Grimes, The Q of Dipole, TM Radiation Fields, *Proceedings IEEE Aerospace Conference*, Volume 3, pp. 255-264, 1998.
- [4] Craig A. Grimes, James L. Horn, Rony Shahidain, and Faton Tefiku, Control of Antenna Input Impedance Through Cancellation of Near Field Standing Energy, *Proceedings IEEE Aerospace Conference*, Volume 3, pp. 273-282, 1998.
- [5] L. Gang, C.A. Grimes, K.G. Ong, D.M. Grimes, Time and Frequency Domain Numerical Modelling of Outbound and Standing Power From Perpendicularly Oriented, Electrically Small TM Dipoles, *14th Annual Review of Progress in Applied Computational Electromagnetics*, Conference Proceedings, pp. 194-203, 1998.
- [6] C.A. Grimes and F. Tefiku, Perpendicularly Oriented, Electrically Small TM Dipoles: Control of Input Impedance Through Relative Phase Offset, *IEEE AP-S International Symposium*, pp. 806-809, 1998.
- [7] D. M. Grimes, C. A. Grimes, The Q of Dipole TM Radiation Fields, *Proceedings IEEE AP-S International Symposium*, pp. 444-447, 1998.
- [8] L. Gang, C.A. Grimes, K.G. Ong, FDTD and MoM Modelling of power From Perpendicularly Oriented, Electrically Small TM Dipoles, *Proceedings IEEE AP-S International Symposium*, pp. 542-545, 1998.